-11	98-	(messag\$5 with notification same	USPAT;	-2004-/01-/07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	22:56
		web adj1 page) near5 notif\$8 with (EPO; JPO;	
		request\$5 or messag\$5 or email or e?mail	DERWENT;	
		or voice or electronic\$4 or http or	IBM TDB	
		internet or standard adj1 protocol or	_	
		smtp)		1
12	21	((messag\$5 with notification same	USPAT;	2004/01/07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	22:57
		web adj1 page) near5 notif\$8 with (EPO; JPO;	
		request\$5 or messag\$5 or email or e?mail	DERWENT;	
		or voice or electronic\$4 or http or	IBM TDB	
		internet or standard adj1 protocol or	_	
		smtp)) and @ad<19990711		
13	· 56	((messag\$5 with notification same	USPAT;	2004/01/07
13		request\$3) and (http or smtp or ftp or	US-PGPUB;	22:56
		web adj1 page) near5 notif\$8 with (EPO; JPO;	22.00
		request\$5 or messag\$5 or email or e?mail	DERWENT;	
		or voice or electronic\$4 or http or	IBM TDB	
		internet or standard adj1 protocol or	1011_100	
		smtp)) and notification near3 server		
14	39	(((messag\$5 with notification same	USPAT;	2004/01/07
14	39	request\$3) and (http or smtp or ftp or	US-PGPUB;	2004/01/07
		reducated and (need of ample to of		22.31
		<pre>web adj1 page) near5 notif\$8 with (request\$5 or messag\$5 or email or e?mail</pre>	EPO; JPO; DERWENT;	
			1	
		or voice or electronic\$4 or http or	IBM_TDB	
		internet or standard adj1 protocol or		
		smtp)) and notification near3 server) and		
		(enter\$3 or input\$5 or send\$4 or transmi6		
		or interfac\$3) near4 (brows\$5 or web adj1		
	_	page)		2004/01/07
15	8	((((messag\$5 with notification same	USPAT;	2004/01/07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	23:27
		web adj1 page) near5 notif\$8 with (EPO; JPO;	
		request\$5 or messag\$5 or email or e?mail	DERWENT;	
		or voice or electronic\$4 or http or	IBM_TDB	
		internet or standard adj1 protocol or		
į		smtp)) and notification near3 server) and		
		(enter\$3 or input\$5 or send\$4 or transmi6		
		or interfac\$3) near4 (brows\$5 or web adj1		
		page)) and @ad<19990711		0004/01/25
16	1	(((((messag\$5 with notification same	USPAT;	2004/01/07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	23:21
		web adj1 page) near5 notif\$8 with (EPO; JPO;	
		request\$5 or messag\$5 or email or e?mail	DERWENT;	
		or voice or electronic\$4 or http or	IBM_TDB	
		internet or standard adj1 protocol or		
		smtp)) and notification near3 server) and		
		(enter\$3 or input\$5 or send\$4 or transmi6	[
		or interfac\$3) near4 (brows\$5 or web adj1		
		page)) and @ad<19990711) and (changed or		
		updated) near4 (field or frame)		
17	1		USPAT;	2004/01/07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	23:22
		web adj1 page) near5 notif\$8 with (EPO; JPO;	1
		request\$5 or messag\$5 or email or e?mail	DERWENT;	
		or voice or electronic\$4 or http or	IBM_TDB	1
		internet or standard adj1 protocol or	-	
İ		smtp)) and notification near3 server) and		
l		(enter\$3 or input\$5 or send\$4 or transmi6		
		or interfac\$3) near4 (brows\$5 or web adj1		
		page)) and @ad<19990711) and (changed or		
		updated) with (field or frame)		

				1-0-0-4-40-1-4-5
18	2	(((((messag\$5 with notification same	USPAT;	2004/01/07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	23:22
		web adj1 page) near5 notif\$8 with (EPO; JPO;	
		request\$5 or messag\$5 or email or e?mail	DERWENT;	
		or voice or electronic\$4 or http or	I TEM_IDE	
		internet or standard adj1 protocol or		
		smtp)) and notification near3 server) and		
		(enter\$3 or input\$5 or send\$4 or transmi6		
		or interfac\$3) near4 (brows\$5 or web adj1		
		page)) and @ad<19990711) and (chang\$5 or		
10	102	updat\$3) with (field or frame) ((messag\$5 with notification same	IICDATI.	2004/01/07
19	102	request\$3) and (http or smtp or ftp or	USPAT; US-PGPUB;	23:26
		web adj1 page) same notif\$8 near35 (user	EPO; JPO;	23.26
			1	
		or subscrib\$5 or recipient or client or	DERWENT;	
		send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4	IBM_TDB	İ
		or http or internet or standard adj1		
		protocol or smtp)) and (acknowled\$6 or		
		confirm\$6) with (messag\$5 or notif\$8)	HCDAT.	2004/01/07
20	60	((messag\$5 with notification same	USPAT;	2004/01/07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	23:26
		web adj1 page) same notif\$8 near35 (user	EPO; JPO;	
		or subscrib\$5 or recipient or client or	DERWENT;	
		send\$3) with (request\$5 or messag\$5 or	IBM_TDB	
		email or e?mail or voice or electronic\$4		
		or http or internet or standard adj1		
		<pre>protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8)</pre>		İ
		with recei\$7		
21	102	•	USPAT;	2004/01/07
21	102	((messag\$5 with notification same	US-PGPUB;	23:26
		request\$3) and (http or smtp or ftp or		23.26
		web adj1 page) same notif\$8 near35 (user	EPO; JPO;	
		or subscrib\$5 or recipient or client or	DERWENT;	
		send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4	IBM_TDB	
		or http or internet or standard adj1		
		protocol or smtp)) and (acknowled\$6 or		
		confirm\$6) with (messag\$5 or notif\$8)		
22	60	((messag\$5 with notification same	USPAT;	2004/01/07
22	60		US-PGPUB;	23:27
		request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user	EPO; JPO;	23.21
		or subscrib\$5 or recipient or client or	DERWENT;	
			IBM TDB	
		send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4	1011-100	
		or http or internet or standard adj1	1	
]		protocol or smtp)) and (acknowled\$6 or		1
		confirm\$6) with (messag\$5 or notif\$8)		1
23	220	with recei\$7 (messag\$5 with notification same	USPAT;	2004/01/07
43	220	request\$3) and (http or smtp or ftp or	US-PGPUB;	23:26
		request;3; and (nttp of smtp of 1tp of web adj1 page) same notif\$8 near35 (user	EPO; JPO;	23.20
		or subscrib\$5 or recipient or client or	DERWENT;	1
		send\$3) with (request\$5 or messag\$5 or	IBM TDB	
		email or e?mail or voice or electronic\$4	1011-100	
]		or http or internet or standard adj1	1	1
}		protocol or smtp)		
24	115	((messag\$5 with notification same	USPAT;	2004/01/07
43	113	request\$3) and (http or smtp or ftp or	US-PGPUB;	23:26
		web adj1 page) same notif\$8 near35 (user		23.20
		or subscrib\$5 or recipient or client or	EPO; JPO; DERWENT;	1
[send\$3) with (request\$5 or messag\$5 or	IBM TDB	
		email or e?mail or voice or electronic\$4	155-175	
		or http or internet or standard adj1		
		protocol or smtp)) and (acknowled\$6 or	1	
		confirm\$6) with (messag\$5 or notif\$8)	1	
1	l	Continuo, with (meddaggo of notify)	1	L

-2-5	63-	-(-(messag\$5-wi-th-noti-fication-same-	-USPAT;	- -2004-/-01-/-07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	23:27
1		web adj1 page) same notif\$8 near35 (user	EPO; JPO;	
		or subscrib\$5 or recipient or client or	DERWENT;	
		send\$3) with (request\$5 or messag\$5 or	IBM_TDB	
		email or e?mail or voice or electronic\$4		
		or http or internet or standard adj1		
		protocol or smtp)) and (acknowled\$6 or		
		confirm\$6) with (messag\$5 or notif\$8)		
		with recei\$7		
26	16	1 , , ,	USPAT;	2004/01/07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	23:31
		web adj1 page) same notif\$8 near35 (user	EPO; JPO;	
		or subscrib\$5 or recipient or client or	DERWENT;	
		send\$3) with (request\$5 or messag\$5 or	IBM_TDB	:
ł		email or e?mail or voice or electronic\$4		
		or http or internet or standard adj1		
		protocol or smtp)) and (acknowled\$6 or		
		confirm\$6) with (messag\$5 or notif\$8)		
		with recei\$7) and @ad<19990711		
27	14	((((messag\$5 with notification same	USPAT;	2004/01/07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	23:35
		web adj1 page) same notif\$8 near35 (user	EPO; JPO;	
		or subscrib\$5 or recipient or client or	DERWENT;	
		send\$3) with (request\$5 or messag\$5 or	IBM_TDB	
		email or e?mail or voice or electronic\$4		
		or http or internet or standard adj1		
		protocol or smtp)) and (acknowled\$6 or		
		confirm\$6) with (messag\$5 or notif\$8)		
		with recei\$7) and @ad<19990711) and		
		notif\$8 near6 request\$5		
28	12	((((messag\$5 with notification same	USPAT;	2004/01/07
		request\$3) and (http or smtp or ftp or	US-PGPUB;	23:36
		web adj1 page) same notif\$8 near35 (user	EPO; JPO;	
		or subscrib\$5 or recipient or client or	DERWENT;	
		send\$3) with (request\$5 or messag\$5 or	IBM_TDB	
		email or e?mail or voice or electronic\$4		
		or http or internet or standard adj1		·
		protocol or smtp)) and (acknowled\$6 or		
		confirm\$6) with (messag\$5 or notif\$8)		
		with recei\$7) and @ad<19990711) and		
		notif\$8 near6 request\$5) and (http or web		
29	12	or html) with (messag\$5 or notif\$8) (((((messag\$5 with notification same	IICDAM.	2004/01/07
29	14		USPAT;	2004/01/07
l		reguest(2) and / bttp or smtp or ftp or	LIIC-DODIID.	1 22.26
1		request\$3) and (http or smtp or ftp or	US-PGPUB;	23:36
		web adj1 page) same notif\$8 near35 (user	EPO; JPO;	23:36
		web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or	EPO; JPO; DERWENT;	23:36
		web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or	EPO; JPO;	23:36
		web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4	EPO; JPO; DERWENT;	23:36
		web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1	EPO; JPO; DERWENT;	23:36
		web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or	EPO; JPO; DERWENT;	23:36
		web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8)	EPO; JPO; DERWENT;	23:36
		web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and	EPO; JPO; DERWENT;	23:36
		web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web	EPO; JPO; DERWENT;	23:36
		web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or	EPO; JPO; DERWENT;	23:36
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6)	EPO; JPO; DERWENT; IBM_TDB	
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same	EPO; JPO; DERWENT; IBM_TDB	2004/01/07
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same request\$3) and (http or smtp or ftp or	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user	USPAT; US-PGPUB; EPO; JPO;	2004/01/07
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or	USPAT; US-PGPUB; EPO; JPO;	2004/01/07
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07
30	12	web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8) with recei\$7) and @ad<19990711) and notif\$8 near6 request\$5) and (http or web or html) with (messag\$5 or notif\$8 or request\$6) ((((messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (acknowled\$6 or confirm\$6) with (messag\$5 or notif\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07

L Number	Hits	Search Text	-DB	Time_stamp
1	774	input\$5 near4 web adj1 page	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07 21:55
2	6	notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (messag\$5 or email or e?mail or voice or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07 21:55
3	10	electronic\$4 or http) (enter\$3 or input\$5) near4 web adj1 page same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (messag\$5 or email or e?mail or voice or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07 21:57
4	43	electronic\$4 or http) (enter\$3 or input\$5 or send\$4 or transmi6) near4 web adj1 page same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (messag\$5 or email or e?mail or voice or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 22:06
5	50	electronic\$4 or http) (enter\$3 or input\$5 or send\$4 or transmi6) near4 web adj1 page same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 22:22
6	51	(enter\$3 or input\$5 or send\$4 or transmi6) near4 web adj1 page same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 22:56
7	2595	messag\$5 with notification same request\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 22:20
8	199	<pre>(messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 23:26
9	32	((messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 near35 (user or subscrib\$5 or recipient or client or send\$3) with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)) and (enter\$3 or input\$5 or send\$4 or transmi6 or submi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 22:29
10	300	near4 web adj1 page same notif\$8 (messag\$5 with notification same request\$3) and (http or smtp or ftp or web adj1 page) same notif\$8 with (request\$5 or messag\$5 or email or e?mail or voice or electronic\$4 or http or internet or standard adj1 protocol or smtp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 22:43

L Number	Hits	-Search-Text	-DB	-Time-stamp-
1	1504	(web or www or Internet) same (user\$2 near5 (Geographic\$5 or address\$1 or host\$1 or computer\$1 or ISP or provider or IP or network adj1 address)) same	USPAT; EPO; JPO; DERWENT	2004/01/08 16:13
2	1709	determin\$5 (web or www or Internet) same (user\$2 near5 (Geographic\$5 or address\$1 or host\$1 or computer\$1 or ISP or provider or IP or network adj1 address or location)) same determin\$5	USPAT; EPO; JPO; DERWENT	2004/01/08 16:13
3	4823	(web or www or Internet) same (user\$2 near5 (Geographic\$5 or address\$1 or host\$1 or computer\$1 or ISP or provider or IP or network adj1 address or location)) same (determin\$5 or locat\$3 or find\$5)	USPAT; EPO; JPO; DERWENT	2004/01/08 16:14
4	716	l ' '	USPAT; EPO; JPO; DERWENT	2004/01/08 16:15
5	761	((web or www or Internet) same (user\$2 near5 (Geographic\$5 or address\$1 or host\$1 or computer\$1 or ISP or provider or IP or network adj1 address or location)) same (determin\$5 or locat\$3 or find\$5)) and (web or www or Internet) same (user\$2 or host\$1 or computer\$1) near5 (Geographic\$5 or address\$1 or IP or network adj1 address or city or state) near5 (determin\$5 or locat\$3 or find\$5)	USPAT; EPO; JPO; DERWENT	2004/01/08
6	25	<pre>(((web or www or Internet) same (user\$2 near5 (Geographic\$5 or address\$1 or host\$1 or computer\$1 or ISP or provider or IP or network adj1 address or location)) same (determin\$5 or locat\$3 or find\$5)) and (web or www or Internet) same (user\$2 or host\$1 or computer\$1) near5 (Geographic\$5 or address\$1 or IP or network adj1 address or city or state) near5 (determin\$5 or locat\$3 or find\$5)) and (tracerout\$3 or trace?rout\$3)</pre>	USPAT; EPO; JPO; DERWENT	2004/01/08 16:17
7	11	(((web or www or Internet) same (user\$2 near5 (Geographic\$5 or address\$1 or host\$1 or computer\$1 or ISP or provider or IP or network adj1 address or location)) same (determin\$5 or locat\$3 or find\$5)) and (web or www or Internet) same (user\$2 or host\$1 or computer\$1) near5 (Geographic\$5 or address\$1 or IP or network adj1 address or city or state) near5 (determin\$5 or locat\$3 or find\$5)) and (tracerout\$3 or trace?rout\$3)) and deriv\$5 with (database or anal\$6 or information or log\$3)	USPAT; EPO; JPO; DERWENT	2004/01/08 16:17

- -8	1-4		-USPAT-;	-2004/-01/-08
		near5 (Geographic\$5 or address\$1 or	EPO; JPO;	16:53
		host\$1 or computer\$1 or ISP or provider	DERWENT	
		or IP or network adj1 address or		
		location)) same (determin\$5 or locat\$3 or		
		find\$5)) and (web or www or Internet)		
		same (user\$2 or host\$1 or computer\$1)		
		l ' ' '		
		or network adj1 address or city or state)		
1		near5 (determin\$5 or locat\$3 or find\$5))		
		and (tracerout\$3 or trace?rout\$3)) and		
		(extract\$6 or pars\$5 or deriv\$5) with		
		(database or anal\$6 or information or		ļ
		log\$3)		
9	572	709/245.ccls.	USPAT;	2004/01/08
			EPO; JPO;	16:53
			DERWENT	
10	1	(((((web or www or Internet) same (user\$2	USPAT;	2004/01/08
	_	near5 (Geographic\$5 or address\$1 or	EPO; JPO;	16:53
		host\$1 or computer\$1 or ISP or provider	DERWENT	10.00
1		or IP or network adj1 address or	DDIWINI	
		location)) same (determin\$5 or locat\$3 or		
		find\$5)) and (web or www or Internet)		i
		same (user\$2 or host\$1 or computer\$1)		
		near5 (Geographic\$5 or address\$1 or IP		
		or network adj1 address or city or state)		
1	1	near5 (determin\$5 or locat\$3 or find\$5))		
		and (tracerout\$3 or trace?rout\$3)) and	İ	
	1	(extract\$6 or pars\$5 or deriv\$5) with		
	1	(database or anal\$6 or information or		
		log\$3)) and 709/245.ccls.		

-[- <u>L</u>		-Coangh-Tout	-DD	-mimorate ma
Number	Hits	Search Text	-DB	Time stamp
7	6	(((notif\$8 near5 request\$5 near5 (user or subscrib\$5 or customer or recipient)) and notif\$8 near5 (sender or user) with (subscrib\$5 or customer or recipient) same (updat\$5 or messag\$5 or stock or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 20:18
8	. 1	quot\$3 or bid\$3) near5(stock or quot\$3 or bid\$3 or travel\$5 or recei\$5)) and @ad<19990711) and (enter\$3 or input\$5 or fil\$3 or insert\$5 or subm\$6 or clik\$5 or send\$3 or submi\$5 or transmi\$5) with ((web near3 page) or html or http) ((((notif\$8 near5 request\$5 near5 (user or subscrib\$5 or customer or recipient)) and notif\$8 near5 (sender or user) with (subscrib\$5 or customer or recipient) same (updat\$5 or messag\$5 or stock or quot\$3 or bid\$3) near5(stock or quot\$3 or bid\$3 or travel\$5 or recei\$5)) and @ad<19990711) and (enter\$3 or input\$5 or fil\$3 or insert\$5 or subm\$6 or clik\$5 or send\$3 or submi\$5 or transmi\$5) with ((web near3 page) or html or http)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 20:56
9	1	<pre>(enter\$3 or input\$5 or fil\$3 or insert\$5 or subm\$6) with ((web near3 page) or html) with notif\$8 ((((notif\$8 near5 request\$5 near5 (user or subscrib\$5 or customer or recipient)) and notif\$8 near5 (sender or user) with (subscrib\$5 or customer or recipient) same (updat\$5 or messag\$5 or stock or quot\$3 or bid\$3) near5 (stock or quot\$3</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 20:56
		or bid\$3 or travel\$5 or recei\$5)) and (ead<19990711) and (enter\$3 or input\$5 or fil\$3 or insert\$5 or subm\$6 or clik\$5 or send\$3 or submi\$5 or transmi\$5) with ((web near3 page) or html or http)) and (enter\$3 or input\$5 or fil\$3 or insert\$5 or subm\$6 or transm\$6) with ((web near3 page) or html) with notif\$8		
10	4	((((notif\$8 near5 request\$5 near5 (user or subscrib\$5 or customer or recipient)) and notif\$8 near5 (sender or user) with (subscrib\$5 or customer or recipient) same (updat\$5 or messag\$5 or stock or quot\$3 or bid\$3) near5 (stock or quot\$3 or travel\$5 or recei\$5)) and @ad<19990711) and (enter\$3 or input\$5 or fil\$3 or insert\$5 or subm\$6 or clik\$5 or send\$3 or submi\$5 or transmi\$5) with ((web near3 page) or html or http)) and ((web near3 page) or html) with notif\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 21:06
11	382902	web page near5 (form or input\$5) with advantage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 21:06
12	59	web adjl page near5 (form or input\$5) with advantage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 21:09
13	5	(web adj1 page near5 (form or input\$5) with advantage) and web adj1 page near5 (form or input\$5) with advantage same (standard or brows\$4 or platform or protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 21:12

14	5	web adj1 page near5 (form or input\$5)	USPAT;	2004/01/08
i	}	with advantage same (standard or brows\$4	US-PGPUB;	21:12
		or platform or protocol)	EPO; JPO;	
		·	DERWENT;	i i
			IBM_TDB	
15	155	web adj1 page with (form or input\$5 or	USPAT;	2004/01/08
		enter\$5 or us\$3 or html) with advantage	US-PGPUB;	21:13
		same (standard or brows\$4 or platform or	EPO; JPO;	
		protocol)	DERWENT;	
			IBM_TDB	
16	104	web adj1 page near6 (form or input\$5 or	USPAT;	2004/01/08
		enter\$5 or us\$3 or html) with advantage	US-PGPUB;	21:14
		same (standard or brows\$4 or platform or	EPO; JPO;	
		protocol)	DERWENT;	
			IBM_TDB	
17	6	,	USPAT;	2004/01/08
		enter\$5 or us\$3 or html) with advantage	US-PGPUB;	21:15
		same (standard or brows\$4 or platform or	EPO; JPO;	
		protocol)) and messaging	DERWENT;	
			IBM_TDB	